

# HEIGHT-ADJUSTABLE TABLE BASES



# INDEX

EASY TABLE BASES (“Economy Class”).....	1
CHOICES TABLE BASES (“Business Class”).....	3
SAW-HORSE TABLE BASES (“First Class”).....	11
WORK SURFACES .....	13
Rectangular Work Surfaces .....	13
L-Shaped Work Surfaces.....	14
WORK SURFACE STIFFENERS .....	15
ACCESSORIES .....	16
MODESTY PANELS – FROSTED ACRYLIC.....	16
MODESTY PANELS – STEEL .....	16
CORD GRIPS FOR WIRE MANAGEMENT .....	16
J-CHANNEL (HORIZONTAL) CORD MINDER .....	17
VERTEBRAE (VERTICAL) CORD MINDER .....	17
MINI CENTER DRAWER .....	17
GROMMETS .....	17
BENCHING .....	18
WARRANTY INFORMATION .....	18

## EASY TABLE BASES (“Economy Class”)

Easy table bases provide a high-quality – yet economical – solution for those seeking a basic height-adjustable table with minimal options. For simple installation, Easy tables come standard with the feet and surface supports already attached to the leg assembly.

### FEATURES

- Fully assembled table base – just screw to surface (work surface not included)
- T-shaped foot with leveling glides
- Up/Down hand switch\*
- Meets BIFMA X5.5 standards / UL 962 approved
- Less than 50db noise level using ISO-11201:2010 acoustics
- Dual motor
- Raise and lower speed of 1-<sup>3</sup>/<sub>8</sub>” per second
- Power consumption of less than 0.3W (in standby mode)
- Maximum load (including work surface) of 250 pounds
- Height range of 27” – 46” (with 1-<sup>1</sup>/<sub>8</sub>” thick work surface)
- Base depth of 22-<sup>1</sup>/<sub>4</sub>” supports both 24” and 30” deep work surfaces
- Compatible with surfaces from 48” – 72” wide [**Note: A Work Surface Stiffener is required for surfaces 60” and wider – see page 15 for ordering information.**]
- Available in one of three powder coat paint finishes:
  - **Black** (SC Low Gloss Black - 4710)
  - **Silver** (SC Platinum Metallic - PM)
  - **White** (KB Designer White - 405)

### EASY PART NUMBERS

Product No.	Description	Box Size	Pkg Wt	List Price
ESS2-SR-2430-T-UD-4710	Easy Base with 2 Legs, Standard Height Range – <b>Black</b>	27 x 24 x 13	36 lbs	\$1,145
ESS2-SR-2430-T-UD-PM	Easy Base with 2 Legs, Standard Height Range – <b>Silver</b>	27 x 24 x 13	36 lbs	\$1,145
ESS2-SR-2430-T-UD-405	Easy Base with 2 Legs, Standard Height Range – <b>White</b>	27 x 24 x 13	36 lbs	\$1,145

\* Easy bases also may be ordered with a programmable hand switch. Please contact [sales@metalarcinc.com](mailto:sales@metalarcinc.com) for prices, availability, and minimum order quantities.

## Easy Table Bases (“Economy Class”)



## CHOICES TABLE BASES (“Business Class”)

Choices table bases provide a high-quality solution for any office environment. As the name implies, Choices bases are distinguished by their flexibility. Unlike the basic features for the Easy table bases, a Choices base can be specified with a variety of options, as described below.


### FEATURES

- Table base with independent beams (work surface not included)
- Meets BIFMA X5.5 standards / UL 962 approved
- 43db noise level using ISO-11201:2010 acoustics
- Dual motor (Tri motor in 3-leg kits)
- Raise and lower speed of 1-<sup>3</sup>/<sub>8</sub>” per second
- Power consumption of less than 0.3W (in standby mode)
- Maximum load (including work surface) of 200 pounds for two-leg tables and 250 pounds for three-leg tables

### OPTIONS

- Standard or expanded height range
- Two-leg bases can support 36” – 84” wide work surfaces; three-leg bases can support both 90 and 120 degree layouts. [**Note: A Work Surface Stiffener is required for surfaces 66” and wider. Please see page 15 for ordering information.**]
- 24” or 30” deep table bases / T- or C-leg base designs
- Up/Down hand switch or four-position programmable hand switch
- Several standard colors

### STANDARD CONFIGURATIONS





## Choices Table Bases (“Business Class”)





## HOW TO ORDER CHOICES TABLE BASES




**Step 1:** Select the Total Quantity of Legs (Base Part Number)






**Step 2:** Select the Height Adjustability Range (heights shown below assume a 1-1/8" thick work surface)



**Step 3:** Select the Base Depth



**Step 4:** Select the Foot Style**Step 5:** Select the Hand Switch**Step 6:** Select the Paint Color

Name	Code
SC Low Gloss Black 4710	4710
SC Platinum Metallic	PM

KB Designer White	405
KN Medium Gray	MG

Name	Code
HW Chalk	CK
HW Charcoal	CH
HW Graphite	GP

If you need a color that is not shown, please email [sales@metalarcinc.com](mailto:sales@metalarcinc.com) to inquire about availability and price.

Name	Code
HM Black Umber	BU
HM Cool Grey Neutral Smooth	CGNS
HM Innertone Light	HF
HM Light Tone	LT
HM Medium Tone	MT
HM Soft White	LU

**Step 7:** Use the chart on page 15 to determine the need for a work surface stiffener (ordered separately).

Sample Choices Part Number: **CLE2-SSE-24-T-UD-PM**

1 1 1 1 222 33 4 55 66

Option	Description
1	<b>Base Part Number:</b> 2-Leg or 3-Leg Base Kit
2	<b>Leg Height Adjustability Range:</b> Standard or Expanded
3	<b>Base Depth:</b> 24" or 30"
4	<b>Foot Style:</b> T-Foot or C-Foot
5	<b>Control Style:</b> Up/Down or Programmable Hand Switch
6	<b>Paint Color:</b> Include Color Code



**Choices Base Part Numbers and Shipping Information - 2 Legs**

Product No.	Description	Box Size	Pkg Wt	List Price
-------------	-------------	----------	--------	------------

**2-Legs with Standard Height Adjustability – for a 24d Work Surface**

CLE2-SSE-24-T-UD	Choices Base with 2 Legs, Standard 28-1/2" – 47" Range, for a 24d Surface, T-Legs, Up/Down Switch	31-3/4 x 13 x 6	40 lbs	\$1,421
CLE2-SSE-24-C-UD	Choices Base with 2 Legs, Standard 28-1/2" – 47" Range, for a 24d Surface, C-Legs, Up/Down Switch	31-3/4 x 13 x 6	40 lbs	\$1,421

CLE2-SSE-24-T-PGM	Choices Base with 2 Legs, Standard 28-1/2" – 47" Range, for a 24d Surface, T-Legs, Programmable Switch	31-3/4 x 13 x 6	40 lbs	\$1,540
CLE2-SSE-24-C-PGM	Choices Base with 2 Legs, Standard 28-1/2" – 47" Range, for a 24d Surface, C-Legs, Programmable Switch	31-3/4 x 13 x 6	40 lbs	\$1,540

**2-Legs with Standard Height Adjustability – for a 30d Work Surface**

CLE2-SSE-30-T-UD	Choices Base with 2 Legs, Standard 28-1/2" – 47" Range, for a 30d Surface, T-Legs, Up/Down Switch	31-3/4 x 13 x 6	42 lbs	\$1,445
CLE2-SSE-30-C-UD	Choices Base with 2 Legs, Standard 28-1/2" – 47" Range, for a 30d Surface, C-Legs, Up/Down Switch	31-3/4 x 13 x 6	42 lbs	\$1,445

CLE2-SSE-30-T-PGM	Choices Base with 2 Legs, Standard 28-1/2" – 47" Range, for a 30d Surface, T-Legs, Programmable Switch	31-3/4 x 13 x 6	42 lbs	\$1,564
CLE2-SSE-30-C-PGM	Choices Base with 2 Legs, Standard 28-1/2" – 47" Range, for a 30d Surface, C-Legs, Programmable Switch	31-3/4 x 13 x 6	42 lbs	\$1,564

**2-Legs with Expanded Height Adjustability – for a 24d Work Surface**

CLE2-DSL-24-T-UD	Choices Base with 2 Legs, Expanded 23" – 48-1/2" Range, for a 24d Surface, T-Legs, Up/Down Switch	31-3/4 x 13 x 6	42 lbs	\$1,583
CLE2-DSL-24-C-UD	Choices Base with 2 Legs, Expanded 23" – 48-1/2" Range, for a 24d Surface, C-Legs, Up/Down Switch	31-3/4 x 13 x 6	42 lbs	\$1,583

CLE2-DSL-24-T-PGM	Choices Base with 2 Legs, Expanded 23" – 48-1/2" Range, for a 24d Surface, T-Legs, Programmable Switch	31-3/4 x 13 x 6	42 lbs	\$1,702
CLE2-DSL-24-C-PGM	Choices Base with 2 Legs, Expanded 23" – 48-1/2" Range, for a 24d Surface, C-Legs, Programmable Switch	31-3/4 x 13 x 6	42 lbs	\$1,702

**2-Legs with Expanded Height Adjustability – for a 30d Work Surface**

CLE2-DSL-30-T-UD	Choices Base with 2 Legs, Expanded 23" – 48-1/2" Range, for a 30d Surface, T-Legs, Up/Down Switch	31-3/4 x 13 x 6	44 lbs	\$1,607
CLE2-DSL-30-C-UD	Choices Base with 2 Legs, Expanded 23" – 48-1/2" Range, for a 30d Surface, C-Legs, Up/Down Switch	31-3/4 x 13 x 6	44 lbs	\$1,607

CLE2-DSL-30-T-PGM	Choices Base with 2 Legs, Expanded 23" – 48-1/2" Range, for a 30d Surface, T-Legs, Programmable Switch	31-3/4 x 13 x 6	44 lbs	\$1,726
CLE2-DSL-30-C-PGM	Choices Base with 2 Legs, Expanded 23" – 48-1/2" Range, for a 30d Surface, C-Legs, Programmable Switch	31-3/4 x 13 x 6	44 lbs	\$1,726

**Choices Base Part Numbers and Shipping Information - 3 Legs – Standard Height Range**

Product No.	Description	Box Size	Pkg Wt	List Price
-------------	-------------	----------	--------	------------

**3-Legs with Standard Height Adjustability – for One 24d Work Surface & One 30d Work Surface**

CLE3-SSE-2430-T-UD	Choices Base with 3 Legs, Standard 28-1/2" – 47" Range, for 24d & 30d Surfaces, T-Legs, Up/Down Switch	See footnote*	56 lbs	\$2,184
CLE3-SSE-2430-C-UD	Choices Base with 3 Legs, Standard 28-1/2" – 47" Range, for 24d & 30d Surfaces, C-Legs, Up/Down Switch	See footnote*	56 lbs	\$2,184

CLE3-SSE-2430-T-PGM	Choices Base with 3 Legs, Standard 28-1/2" – 47" Range, for 24d & 30d Surfaces, T-Legs, Programmable Switch	See footnote*	56 lbs	\$2,303
CLE3-SSE-2430-C-PGM	Choices Base with 3 Legs, Standard 28-1/2" – 47" Range, for 24d & 30d Surfaces, C-Legs, Programmable Switch	See footnote*	56 lbs	\$2,303

**3-Legs with Standard Height Adjustability – for Two 24d Work Surfaces**

CLE3-SSE-24-T-UD	Choices Base with 3 Legs, Standard 28-1/2" – 47" Range, for 24d Surfaces, T-Legs, Up/Down Switch	See footnote*	55 lbs	\$2,159
CLE3-SSE-24-C-UD	Choices Base with 3 Legs, Standard 28-1/2" – 47" Range, for 24d Surfaces, C-Legs, Up/Down Switch	See footnote*	55 lbs	\$2,159

CLE3-SSE-24-T-PGM	Choices Base with 3 Legs, Standard 28-1/2" – 47" Range, for 24d Surfaces, T-Legs, Programmable Switch	See footnote*	55 lbs	\$2,278
CLE3-SSE-24-C-PGM	Choices Base with 3 Legs, Standard 28-1/2" – 47" Range, for 24d Surfaces, C-Legs, Programmable Switch	See footnote*	55 lbs	\$2,278

**3-Legs with Standard Height Adjustability – for Two 30d Work Surfaces**

CLE3-SSE-30-T-UD	Choices Base with 3 Legs, Standard 28-1/2" – 47" Range, for 30d Surfaces, T-Legs, Up/Down Switch	See footnote*	56 lbs	\$2,183
CLE3-SSE-30-C-UD	Choices Base with 3 Legs, Standard 28-1/2" – 47" Range, for 30d Surfaces, C-Legs, Up/Down Switch	See footnote*	56 lbs	\$2,183

CLE3-SSE-30-T-PGM	Choices Base with 3 Legs, Standard 28-1/2" – 47" Range, for 30d Surfaces, T-Legs, Programmable Switch	See footnote*	56 lbs	\$2,302
CLE3-SSE-30-C-PGM	Choices Base with 3 Legs, Standard 28-1/2" – 47" Range, for 30d Surfaces, C-Legs, Programmable Switch	See footnote*	56 lbs	\$2,302

\* Each 3-Leg kit ships in a total of three (3) separate boxes:

- 31-3/4" x 13" x 6"
- 31-3/4" x 13" x 6"
- 24" x 4-3/4" x 5-1/8"

**Choices Base Part Numbers and Shipping Information - 3 Legs – Expanded Height Range**

Product No.	Description	Box Size	Pkg Wt	List Price
-------------	-------------	----------	--------	------------

**3-Legs with Expanded Height Adjustability – for One 24d Work Surface & One 30d Work Surface**

CLE3-DSL-2430-T-UD	Choices Base with 3 Legs, Expanded 22- <sup>1</sup> / <sub>2</sub> " – 48- <sup>1</sup> / <sub>2</sub> " Range, for 24d & 30d Surfaces, T-Legs, Up/Down Switch	See footnote*	58 lbs	\$2,475
CLE3-DSL-2430-C-UD	Choices Base with 3 Legs, Expanded 22- <sup>1</sup> / <sub>2</sub> " – 48- <sup>1</sup> / <sub>2</sub> " Range, for 24d & 30d Surfaces, C-Legs, Up/Down Switch	See footnote*	58 lbs	\$2,475

CLE3-DSL-2430-T-PGM	Choices Base with 3 Legs, Expanded 22- <sup>1</sup> / <sub>2</sub> " – 48- <sup>1</sup> / <sub>2</sub> " Range, for 24d & 30d Surfaces, T-Legs, Program. Switch	See footnote*	58 lbs	\$2,594
CLE3-DSL-2430-C-PGM	Choices Base with 3 Legs, Expanded 22- <sup>1</sup> / <sub>2</sub> " – 48- <sup>1</sup> / <sub>2</sub> " Range, for 24d & 30d Surfaces, C-Legs, Program. Switch	See footnote*	58 lbs	\$2,594

**3-Legs with Expanded Height Adjustability – for Two 24d Work Surfaces**

CLE3-DSL-24-T-UD	Choices Base with 3 Legs, Expanded 22- <sup>1</sup> / <sub>2</sub> " – 48- <sup>1</sup> / <sub>2</sub> " Range, for 24d Surfaces, T-Legs, Up/Down Switch	See footnote*	57 lbs	\$2,450
CLE3-DSL-24-C-UD	Choices Base with 3 Legs, Expanded 22- <sup>1</sup> / <sub>2</sub> " – 48- <sup>1</sup> / <sub>2</sub> " Range, for 24d Surfaces, C-Legs, Up/Down Switch	See footnote*	57 lbs	\$2,450

CLE3-DSL-24-T-PGM	Choices Base with 3 Legs, Expanded 22- <sup>1</sup> / <sub>2</sub> " – 48- <sup>1</sup> / <sub>2</sub> " Range, for 24d Surfaces, T-Legs, Programmable Switch	See footnote*	57 lbs	\$2,569
CLE3-DSL-24-C-PGM	Choices Base with 3 Legs, Expanded 22- <sup>1</sup> / <sub>2</sub> " – 48- <sup>1</sup> / <sub>2</sub> " Range, for 24d Surfaces, C-Legs, Programmable Switch	See footnote*	57 lbs	\$2,569

**3-Legs with Expanded Height Adjustability – for Two 30d Work Surfaces**

CLE3-DSL-30-T-UD	Choices Base with 3 Legs, Expanded 22- <sup>1</sup> / <sub>2</sub> " – 48- <sup>1</sup> / <sub>2</sub> " Range, for 30d Surfaces, T-Legs, Up/Down Switch	See footnote*	58 lbs	\$2,474
CLE3-DSL-30-C-UD	Choices Base with 3 Legs, Expanded 22- <sup>1</sup> / <sub>2</sub> " – 48- <sup>1</sup> / <sub>2</sub> " Range, for 30d Surfaces, C-Legs, Up/Down Switch	See footnote*	58 lbs	\$2,474

CLE3-DSL-30-T-PGM	Choices Base with 3 Legs, Expanded 22- <sup>1</sup> / <sub>2</sub> " – 48- <sup>1</sup> / <sub>2</sub> " Range, for 30d Surfaces, T-Legs, Programmable Switch	See footnote*	58 lbs	\$2,593
CLE3-DSL-30-C-PGM	Choices Base with 3 Legs, Expanded 22- <sup>1</sup> / <sub>2</sub> " – 48- <sup>1</sup> / <sub>2</sub> " Range, for 30d Surfaces, C-Legs, Programmable Switch	See footnote*	58 lbs	\$2,593

\* Each 3-Leg kit ships in a total of three (3) separate boxes:

- 31-<sup>3</sup>/<sub>4</sub>" x 13" x 6"
- 31-<sup>3</sup>/<sub>4</sub>" x 13" x 6"
- 24" x 4-<sup>3</sup>/<sub>4</sub>" x 5-<sup>1</sup>/<sub>8</sub>"

THIS PAGE INTENTIONALLY LEFT BLANK



## SAW-HORSE TABLE BASES (“First Class”)

Saw-Horse table bases provide a stylish alternative to the traditional height-adjustable table. With its angled column and modern design, the Saw-Horse base is the perfect choice for a contemporary office environment.

### FEATURES

- Built-in wire management and stiffener
- 20-degree angled column
- Four-position programmable hand switch
- Several standard colors
- Base depth of 24- $\frac{1}{2}$ ” supports both 24” and 30” deep work surfaces
- Maximum load of 225 pounds (including work surface)
- Height range of 27- $\frac{1}{4}$ ” – 44- $\frac{5}{8}$ ” (with 1- $\frac{1}{8}$ ” thick work surface)
- Compatible with surfaces from 36” – 72” wide
- Less than 50db noise level using ISO-11201:2010 acoustics
- Raise and lower speed of 1- $\frac{1}{2}$ ” per second
- Power consumption of less than 0.3W (in standby mode)



### SAW-HORSE BASE PART NUMBERS

Product No.	Description	Box Size	Pkg Wt	List Price
SAW48	Inverted-Y Base for 48w Tables, 27- $\frac{1}{4}$ ” – 44- $\frac{5}{8}$ ” Height Range, Programmable Switch	40 x 12 x 8- $\frac{1}{2}$	55 lbs	\$1,633
SAW54-72	Inverted-Y Base for 54w Tables, 27- $\frac{1}{4}$ ” – 44- $\frac{5}{8}$ ” Height Range, Programmable Switch	37 x 12 x 8- $\frac{1}{2}$	60 lbs	\$1,737

### PAINT COLORS

Name	Code
SC Low Gloss Black 4710	4710
SC Platinum Metallic	PM

KB Designer White	405
KN Medium Gray	MG

Name	Code
HW Chalk	CK
HW Charcoal	CH
HW Graphite	GP

Name	Code
HM Black Umber	BU
HM Cool Grey Neutral Smooth	CGNS
HM Innertone Light	HF
HM Light Tone	LT
HM Medium Tone	MT
HM Soft White	LU

If you need a color that is not shown, please email [sales@metalarcinc.com](mailto:sales@metalarcinc.com) to inquire about availability and price.

## Saw-Horse Table Bases (“First Class”)



## WORK SURFACES

Work surfaces are made with high pressure laminate and 3mm matching edge banding. All surfaces are 1-1/8" thick.

Work surfaces may be ordered in one of nine standard laminate styles. If you require a surface size or style that is different from the standard choices shown below, please email [sales@metalarcinc.com](mailto:sales@metalarcinc.com) for a quote.

A small order charge of \$150 net applies to any purchase order with three (3) or fewer surfaces in the same laminate style. This small order charge will be waived for any purchase order of four (4) or more surfaces in the same laminate style.


### Laminate Choices



Formica Bleached Legno  
**BL**



Wilsonart Kensington  
Maple  
**KM**



Wilsonart River Cherry  
**RC**




Wilsonart Portico Teak  
**PT**




Wilsonart Skyline  
Walnut  
**SW**




Wilsonart Grey Elm  
**GE**



Wilsonart Black  
**BKL**



Wilsonart Designer White  
**DW**



Wilsonart Fashion Grey  
**FG**

Laminate door and drawer fronts in the woodgrain laminates shown above also are available on many Metal Arc filing and storage cabinets. Please email [sales@metalarcinc.com](mailto:sales@metalarcinc.com) for more information on laminate door and drawer fronts.

### Rectangular Work Surfaces


Product Number	Depth	Width	List Price
WORK-HAT-24d36w	24"	36"	\$303
WORK-HAT-24d42w	24"	42"	\$346
WORK-HAT-24d48w	24"	48"	\$389
WORK-HAT-24d54w	24"	54"	\$441
WORK-HAT-24d60w	24"	60"	\$504
WORK-HAT-24d66w	24"	66"	\$530
WORK-HAT-24d72w	24"	72"	\$540

Product Number	Depth	Width	List Price
WORK-HAT-30d36w	30"	36"	\$383
WORK-HAT-30d42w	30"	42"	\$407
WORK-HAT-30d48w	30"	48"	\$421
WORK-HAT-30d54w	30"	54"	\$476
WORK-HAT-30d60w	30"	60"	\$541
WORK-HAT-30d66w	30"	66"	\$580
WORK-HAT-30d72w	30"	72"	\$594

For woodgrain laminates, the direction of the woodgrain will run parallel with the longest side.

## L-Shaped Work Surfaces

For woodgrain laminates, the direction of the woodgrain will run parallel with the longest side. If both sides are equal in length, then the woodgrain direction will run from left-to-right (parallel to dimension “C” in the illustration).



Product Number	A-Depth Left	B-Left of Center	C-Right of Center	D-Depth Right	List Price
<b>Surfaces with Equal-Length Sides</b>					
WORK-L2436-R3624	24"	36"	36"	24"	\$401
WORK-L2448-R4824	24"	48"	48"	24"	\$627
WORK-L3048-R4830	30"	48"	48"	30"	\$629
WORK-L2448-R4830	24"	48"	48"	30"	\$628
WORK-L3048-R4824	30"	48"	48"	24"	\$628

<b>Extended-Corner Surfaces (Right-Hand Side)</b>					
WORK-L2436-R4824	24"	36"	48"	24"	\$499
WORK-L2436-R6024	24"	36"	60"	24"	\$621
WORK-L2436-R7224	24"	36"	72"	24"	\$714
WORK-L2448-R6024	24"	48"	60"	24"	\$757
WORK-L2448-R7224	24"	48"	72"	24"	\$876
WORK-L3036-R4824	30"	36"	48"	24"	\$499
WORK-L3036-R6024	30"	36"	60"	24"	\$621
WORK-L3036-R7224	30"	36"	72"	24"	\$714
WORK-L3048-R6024	30"	48"	60"	24"	\$757
WORK-L3048-R7224	30"	48"	72"	24"	\$876
WORK-L3048-R6030	30"	48"	60"	30"	\$757
WORK-L3048-R7230	30"	48"	72"	30"	\$876
WORK-L2448-R6030	24"	48"	60"	30"	\$757
WORK-L2448-R7230	24"	48"	72"	30"	\$876

<b>Extended-Corner Surfaces (Left-Hand Side)</b>					
WORK-L2448-R3624	24"	48"	36"	24"	\$499
WORK-L2460-R3624	24"	60"	36"	24"	\$621
WORK-L2472-R3624	24"	72"	36"	24"	\$714
WORK-L2460-R4824	24"	60"	48"	24"	\$757
WORK-L2472-R4824	24"	72"	48"	24"	\$876
WORK-L2448-R3630	24"	48"	36"	30"	\$499
WORK-L2460-R3630	24"	60"	36"	30"	\$621
WORK-L2472-R3630	24"	72"	36"	30"	\$714
WORK-L2460-R4830	24"	60"	48"	30"	\$757
WORK-L2472-R4830	24"	72"	48"	30"	\$876
WORK-L3060-R4830	30"	60"	48"	30"	\$757
WORK-L3072-R4830	30"	72"	48"	30"	\$876
WORK-L3060-R4824	30"	60"	48"	24"	\$757
WORK-L3072-R4824	30"	72"	48"	24"	\$876




# WORK SURFACE STIFFENERS

## HAT CHANNEL SUPPORTS

Hat channels provide support for a work surface (to prevent bowing) and a cavity for holding the controller and cords. Hat channel supports are painted black.

Product No.	Box Size	Pkg Wt	List Price
CLEHAT-39	41 x 7 x 3	8 lbs	\$95
CLEHAT-60	62 x 7 x 3	13 lbs	\$119



## ANTI-SAG BAR

Anti-sag bars provide a simple and cost-effective work surface support. Anti-sag bars are painted black.

Product No.	Box Size	Pkg Wt	List Price
ANTISAG-49	50 x 4 x 3	3 lbs	\$77



## WHAT SIZE STIFFENER DO I NEED?

As shown in the chart below, stiffeners are required for wider work surfaces. Please note that the Anti-Sag Bar is an alternative to a Hat Channel Support (CLEHAT-39 and CLEHAT-60) in certain applications.

	Easy				
			Required		
	48"	54"	60"	66"	72"
CLEHAT-39 *	N/A	YES	YES	YES	YES
CLEHAT-60 *	N/A	N/A	N/A	N/A	N/A
ANTISAG-49	N/A	YES	YES	YES	YES

Choices				
				Required
48"	54"	60"	66"	72"
N/A	YES	YES	YES	N/A
N/A	N/A	N/A	N/A	YES
N/A	YES	YES	YES	YES

**N/A** = Stiffener not applicable for this base/surface combination.

**YES** = Stiffener can be used with this base/surface combination.


\* A minimum surface width of 54" is required for CLEHAT-39 when using Choices 2-leg base.

\* A minimum surface width of 70" is required for CLEHAT-60 when using Choices 2-leg base.

## SPLICE PLATES

Made of heavy-gauge, galvanized steel, splice plates are used to join together two adjacent work surfaces (from the underside).

Product No.	Description	List Price
SPLICE PLATES	Kit of <u>two</u> 8" x 12" work surface ganging plates	\$50



## ACCESSORIES

### MODESTY PANELS – FROSTED ACRYLIC

Frosted acrylic modesty panels mount to the underside of a work surface to provide privacy for an end user. Acrylic modesty panels are 12” high and are installed using two mounting brackets. The bracket color can be ordered in several standard paint colors to match a corresponding table base.

Product No.	Description	List Price
HATMOD38-A	Acrylic Modesty Panel for 42w or 48w Surfaces	\$293
HATMOD50-A	Acrylic Modesty Panel for 54w or 60w Surfaces	\$327
HATMOD62-A	Acrylic Modesty Panel for 66w or 72w Surfaces	\$361



### MODESTY PANELS – STEEL

Steel modesty panels mount to the underside of a work surface to provide privacy for an end user. Steel modesty panels are 13.5” high and can be ordered in several standard paint colors to match a corresponding table base.

Please note that steel modesty panels are 2” shorter than the nominal surface width and are designed to be inset 1” on each side (*e.g.*, a modesty panel for a 48” work surface has an actual width of 46”)



Product No.	Description	List Price
HATMOD34	Steel Modesty Panel for 36w Surfaces	\$221
HATMOD40	Steel Modesty Panel for 42w Surfaces	\$231
HATMOD46	Steel Modesty Panel for 48w Surfaces	\$242
HATMOD52	Steel Modesty Panel for 54w Surfaces	\$252
HATMOD58	Steel Modesty Panel for 60w Surfaces	\$263
HATMOD64	Steel Modesty Panel for 66w Surfaces	\$273
HATMOD70	Steel Modesty Panel for 72w Surfaces	\$284



### CORD GRIPS FOR WIRE MANAGEMENT

Cord grips hold all wire sizes with ease and provide an inexpensive tool for managing the underside of a work surface. Cord grips are sold in packages of 10 or 50 pieces and come standard with attachment hardware.



Product No.	List Price
HATA-CORDGRIP10	\$245
HATA-CORDGRIP50	\$1,050



## J-CHANNEL (HORIZONTAL) CORD MINDER

J-Channels provide a simple tool for hiding and managing cords.

- 48" long black plastic can be cut smaller in the field
- Secured with 2-sided tape (factory-installed)
- Sold individually or in cases of 50 pieces



Product No.	Description	List Price
HATA-J48T-1	J-Channel Cord Minder, Single	\$45
HATA-J48T-50	J-Channel Cord Minder, Case of 50	\$1,825

## VERTEBRAE (VERTICAL) CORD MINDER

Vertebrae cord minders provide an elegant means of managing cords from a work surface to a power outlet on the floor or a wall. Each cord minder contains 50 links that can be modified to create fused, semi-flexible, or fully flexible joints.

With two magnetic pockets and a screw-in top connector, these cord minders will adapt to most any application.


Product No.	Color	List Price
HATA-VERT-BLK	Black	\$227
HATA-VERT-SLV	Silver	\$227



## MINI CENTER DRAWER

- Black plastic drawer with removable tray
- Shallow depth will not interfere with hat channel supports
- Interior dimensions of 11-1/2" wide x 6-1/2" deep x 2" high
- Exterior dimensions of 15" wide x 8-1/4" deep x 2-1/4" high

Product No.	List Price
HATA-CDM-BLK	\$159



## GROMMETS


2-3/8" (60mm) black grommets with built-in flexible tops can be purchased in lots of 10 pieces.

Product No.	List Price
HATA-GROMFX-10BLK	\$105



## BENCHING

Please contact [sales@metalarcinc.com](mailto:sales@metalarcinc.com) for details.



---

## WARRANTY INFORMATION

### Height Adjustable Table Bases

- Two years on electronic components such as control boxes, hand switches, and motors
- Five years on mechanical components, such as crank drives and spindles
- Ten years on structural components, such as beams, feet and top supports

### High Pressure Laminate Work Surfaces

- Twelve years

This warranty does not cover damage resulting from ordinary wear and tear, including paint finish changes and/or discoloration resulting from aging or exposure to light. In addition, this warranty does not cover heat related damage, delamination or swelling from water damage, chemical damage, damage resulting from improper installation or use of a product, and any material modification to the original product voids this warranty.

This warranty does not cover other manufacturers' products sold through Metal Arc. Rather, supplier warranties will apply to products not manufactured by Metal Arc.

TO THE EXTENT ALLOWED BY LAW, ANY IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED.

This warranty does not cover, and Metal Arc shall not be liable for, incidental damages such as loss of time, loss of use, or inconvenience. In addition, this warranty does not cover, and Metal Arc shall not be liable for, any consequential damages (e.g., the cost of fixing other property) caused by its products.

This warranty gives the purchaser specific legal rights. Purchasers may have other rights which vary from state to state or province to province.